AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-50 (Canceled)

- 51. (Currently Amended) A hard surface cleaning composition for removing cooked, baked, or burnt-on soils from cookware and tableware, the composition comprising:
 - a) from about 10% to about 40% by weight of the composition of an organic solvent system consisting of:
 - from about 1% to about 15% by weight of the solvent system of an organoamine solvent;
 - ii) from about 7% to about 30% by weight of the solvent system of a spreading auxiliary comprising a water-miscible organic solvent; and
 - wherein the water-miscible organic solvent; wherein the water-miscible organic solvent and the limited water-miscible organic solvent are present in a combined level of from about 7% to about 30% by weight of the organic-solvent system and are selected from the group consisting of: alcohols, glycols, esters, glycol ethers, terpenes and mixtures thereof; and wherein the weight ratio of the water-miscible organic solvent to the limited water-miscible organic solvent is from about 4:1 to about 1:20; and
- b) bleaching agents selected from the group consisting of from about 1% to about 40% by weight of the composition of inorganic perhydrate salts; from 0.5% to 25% by weight of the composition preformed organic peroxyacids and mixtures thereof; from 0.5% to 25% by weight of the composition of organic peroxyacid bleach precursors and/or transition metal-containing bleach catalysts;
 - c) water; and;
 - d) optionally, [[a]] surfactant, wherein the total amount of said surfactant, if present, comprises from about 0.05 to about 10% by weight of the composition

wherein the composition has a liquid surface tension of less than 24.5 MN/m, and a pH as measured in a 10% solution of distilled water of at least [[about]] 10.5.

- 52. (Canceled)
- 53. (previously presented) The composition according to Claim 51 wherein the composition has a pH as measured in a 10% solution of distilled water of from about 11.5 to about 13.5.
- 54. (Previously Presented) The composition according to Claim 51 wherein the composition has a reserve alkalinity of less than about 5.
- 55. (Canceled)
- 56. (Previously Presented) The composition according to Claim 51 wherein the surfactant is selected from the group consisting of: anionic, amphoteric, zwitterionic, nonionic and semi-polar surfactants and mixtures thereof.
- 57. (Previously Presented) The composition according to Claim 56 wherein the surfactant comprises an amine oxide.
- 58. (Previously Presented) The composition according to Claim 51 wherein the organoamine solvent is selected from the group consisting of alkanolamines, alkylamines, alkyleneamines and mixtures thereof.
- 59. (Previously Presented) The composition according to Claim 58 wherein the organoamine solvent comprises an alkanolamine.
- 60. (canceled)
- 61. (currently amended) The composition according to Claim [[60]] 51 wherein the water-miscible organic solvent comprises a glycol ether.
- 62. (Previously Presented) The composition according to Claim 61 wherein the water-miscible organic solvent comprises diethylene glycol monobutyl ether.
- 63. (canceled)

- 64. (currently amended) The composition according to Claim [[63]] <u>51</u> wherein the limited water-miscible organic solvent comprises a glycol ether.
- 65. (Previously Presented) The composition according to Claim 64 wherein the limited water-miscible organic solvent comprises propylene glycol butyl ether.
- 66. (Previously Presented) The composition according to Claim 51 wherein the composition is capable of displaying an advancing contact angle on a soiled glass substrate at 25°C of less than about 20°.
- 67. (Previously Presented) The composition according to Claim 51 wherein the composition exhibits a soil swelling index of at least about 100%.
- 68. (Previously Presented) The composition according to Claim 67 wherein the composition has a liquid surface tension of less than about 30mN/m.

Claims 69-71 (Canceled)

- 72. (currently amended) The composition according to Claim 51 wherein the solvent system comprises at least about 3.5% by weight of the solvent system composition of the water-miscible organic solvent.
- 73. (currently amended) The composition according to Claim 51 wherein the solvent system comprises at least about 3.5% by weight of the solvent system composition of the limited water-miscible organic solvent.
- 74. (Previously Presented) The composition according to Claim 51 wherein the weight ratio of water-miscible organic solvent to limited water-miscible organic solvent is from about 2:1 to about 1:6.
- 75. (canceled)
- 76. (Previously Presented) The composition according to Claim 51 wherein the surfactant lowers the liquid surface tension of the solvent system to at least 1mN/m less than the liquid surface tension of the surfactant.

(Previously Presented) The composition according to Claim 51 wherein the 77. composition has a soil removal index of at least 25%.

F&HC PATENT DIVISION

- 78. (Previously Presented) The composition according to Claim 51 wherein the composition is in the form of a shear thinning fluid having a shear index (n) of from about 0.3 to about 0.7 and a consistency index of from about 0.20 to about 0.15 Pa.sⁿ.
- **79.** (Previously Presented) The composition according to Claim 78 wherein the composition has a flow velocity of less than about 1cm/s when sprayed on a vertical stainless steel surface.
- 80. (Previously Presented) The composition according to Claim 51 wherein the composition further comprises a thickening agent selected from the group consisting of synthetic smectite clays, natural gums and mixtures thereof.
- 81. (Previously Presented) The composition according to Claim 51 wherein the organoamine and the mixture of the water-miscible and limited water-miscible organic solvents are present in the solvent system at a weight ratio of from about 3:1 to about 1:3.
- 82. (Previously Presented) The composition according to Claim 51 wherein the solvent system has a volatile organic solvent content above 1 mm Hg of less than about 50%.
- 83. (canceled)
- 84. (Previously Presented) The composition according to Claim 51 wherein the composition is in the form of a dishwashing pretreatment composition.
- 85. (Previously Presented) The composition according to Claim 51 wherein the composition is in the form of an automatic dishwashing detergent composition.
- 86. (previously presented) The composition according to Claim 53 wherein the composition further comprises a salt having a divalent cation.
- 87. (Previously Presented) The composition according to Claim 51 wherein the composition further comprises a perfume component.

Page 5 of 9

- 88. (Previously Presented) The composition according to Claim 87 wherein the perfume component comprises an ionone.
- 89. (Previously Presented) The composition according to Claim 88 wherein the ionone is derived from a natural containing ionone material selected from the group consisting of: mimosa, violet, iris, orris and mixtures thereof.
- 90. (Previously Presented) The composition according to Claim 87 wherein the perfume component comprises a musk having a boiling point of greater than about 250°C.
- 91. (Previously Presented) The composition according to Claim 51 wherein the composition further comprises a cyclodextrin.